

PART #	WIRED DIA.	RATE (in)	FREE HEIGHT	OUTSIDE DIA.	INSIDE DIA.	COILS	INST. HEIGHT	TOP END	BOTTOM END
47140	.5940	240	17.333	4.8130	3.625	10.8	10.25	OPEN	OPEN
47150	.5940	213	17.7616	4.8130	3.625	12.0	10.25	OPEN	OPEN
47160	.5940	242	17.5000	5.078	3.890	10	10.50	OPEN	SQ.
47165	.5940	241	17.4118	4.8130	3.625	10.8	10.25	OPEN	OPEN
47170	.6560	269	18.65	5.343	4.031	11	11.00	OPEN	SQ.
47175	.6560	230	19.8478	5.375	4.063	11.6	10.50	OPEN	SQ.
47180	.6250	212	19.4623	5.313	4.063	10.7	10.50	OPEN	SQ.
47190	.6250	240	18.000	5.125	3.875	11	10.50	OPEN	SQ.
47195	.625	248	17.3065	4.875	3.625	12.1	10.25	OPEN	OPEN
47200	.594	244	18.500	4.844	3.656	10	11.00	OPEN	SQ.
47205	.656	246	17.9106	5.375	4.063	10.95	11.00	OPEN	SQ.
47210	.625	220	18.3182	5.330	4.080	9.9	10.50	OPEN	SQ.
47215	.656	250	17.5188	5.375	4.063	10.2	10.00	OPEN	SQ.
47220	.593	250	17.640	4.6860	3.50	11.27	11.00	OPEN	SQ.
47230	.593	217	16.1088	5.0060	3.820	10.44	10.50	OPEN	OPEN



# TRICK SPRING ID

47130 STAMPED PIN INTO END

47135 STAMPED

47140 RED STRIPE 240 lbs

47150 YELLOW STRIPE

47160 STAMPED

47165 LIGHT BLUE STRIPE 241

47170 STAMPED

47175 STAMPED

47180 STAMPED

47195 ORANGE

47200 BLUE OR STAMPED

47205 STAMPED

47210 STAMPED

47215 STAMPED

47220 STAMPED

47230 MEDIUM GREEN