

K1 Snap Ring Dimension	D1 Bearing Cap Diameter	K2 Snap Ring Diameter	D2 Bearing Cap Diameter	OEM Manufacturer	OEM Series	Convert This Series	To This Series	Part #
1.443	0.938	1.5	0.969	ROCK	L6N	1000	L6N	5-430X
1.482	0.886	1.482	0.886	MAZDA				5-1514X
1.493	0.971	1.493	0.971	ROCK	L6N			5-92X
1.496	0.787	1.496	0.787	DAT-TOY				5-1500X
1.5	0.938	1.5	0.938	SPICER	1000			5-170-1X
1.5	0.938	1.5	0.938	SPICER	1000			5-170X
1.5	0.938	1.5	0.938	SPICER	1000			5-110X
1.5	0.938	1.5	0.938	SPICER	1000SG			5-103X
1.64	1.062	1.64	1.062	SPICER	1210WJ			5-456X
1.718	1	1.718	1	SPICER	1100			5-105X
1.723	0.984	1.723	0.984	MAZDA				5-1504X
1.734	0.984	1.734	0.984	DATSUN				5-1501X
1.828	1.062	1.828	1.062	ROCK	L12N	1140	L12N	5-242X
2.047	1.142	2.047	1.142	TOYOTA				5-1510X
2.08	1.142	2.08	1.142	CHEV LUV				5-1515X
2.125	1.078	2.125	1.078	DETROIT	7260			5-1306-1X
2.125	1.078	2.125	1.078	DETROIT	7260			5-589X
2.125	1.078	2.125	1.078	DETROIT	7260			5-1306X
2.125	1.078	2.625	1.078	DETROIT	7260	7290	7260	5-527X
2.188	1.062	2.188	1.062	SPICER	1310WJ			5-74X
2.188	1.062	2.188	1.062	SPICER	1310WJ			5-260-1X
2.188	1.062	2.188	1.062	SPICER	1310WJ			5-260X
2.188	1.188	2.188	1.188	SPICER	1310WJ			5-297-1X
2.188	1.188	2.188	1.188	SPICER	1310WJ			5-297X
2.2	1.025	2.2	1.025	TOYOTA				5-1508X
2.208	1.102	2.208	1.102	DATSUN				5-1505X
2.343	1.062	2.343	1.062	SPICER	1310			5-350X
2.344	1	2.344	1	MECH	2R			5-2011X
2.375	1.062	2.375	1.062	CLEV	S55			5-1200X
2.375	1.062	2.375	1.062	CLEV	S55			5-718X
2.453	1.497	2.456	1.497	MER				5-1506X
2.52	1.26	2.52	1.26	TOYOTA				5-1511X
2.562	1.125	2.562	1.25	MECH	S44			5-3147X
2.563	1.124	2.563	1.124	MECH	S44			SPL25-6X
2.563	1.188	2.563	1.188	CLEV	R55			5-1205X
2.625	1.125	2.625	1.125	DETROIT	7290			5-1309X
2.626	1.124	2.626	1.124	DETROIT	7290			SPL25-9X
2.781	1.312	2.781	1.312	ROCK	44R			5-431X
3	1.231	3	1.231	DETROIT	5380			5-1301X
3	1.375	3	1.375	SPICER	1480WJ			5-88X
3.125	1.188	3.125	1.188	CLEV	O55			5-1206X
3.25	1.125	3.25	1.125	MECH	4R			5-4015X

Notes:

1) Lube Fitting In Bearing Cap

2) Mercruiser Kit

3) Used In Closed End, Spicer Front Axle

Notes

1

1

2

3

1

1

3

